

**FINAL NEET(UG)-2021 EXAMINATION**

 (Held On Sunday 12<sup>th</sup> SEPTEMBER, 2021)

**CHEMISTRY**
**TEST PAPER WITH ANSWER**
**SECTION-A (CHEMISTRY)**

51. Given below are two statements:

**Statement I :**

Aspirin and Paracetamol belong to the class of narcotic analgesics.


**Statement II :**

Morphine and Heroin are non-narcotic analgesics. In the light of the above statements, choose the correct answer from the options given below.

- (1) Both **Statement I** and **Statement II** are true.
- (2) Both **Statement I** and **Statement II** are false.
- (3) **Statement I** is correct but **Statement II** is false.
- (4) **Statement I** is incorrect but **Statement II** is true.

**Ans. (2)**

52. The correct structure of 2,6-Dimethyl-dec-4-ene is:


**Ans. (1)**

 53.  $\text{BF}_3$  is planar and electron deficient compound. Hybridization and number of electrons around the central atom, respectively are:

- (1)  $sp^3$  and 4
- (2)  $sp^3$  and 6
- (3)  $sp^2$  and 6
- (4)  $sp^2$  and 8

**Ans. (3)**

54. Noble gases are named because of their inertness towards reactivity. Identify an incorrect statement about them.

- (1) Noble gases are sparingly soluble in water.
- (2) Noble gases have very high melting and boiling points.
- (3) Noble gases have weak dispersion forces.
- (4) Noble gases have large positive values of electron gain enthalpy.

**Ans. (2)**

 55. The molar conductance of NaCl, HCl and  $\text{CH}_3\text{COONa}$  at infinite dilution are 126.45, 426.16 and 91.0  $\text{S cm}^2 \text{mol}^{-1}$  respectively. The molar conductance of  $\text{CH}_3\text{COOH}$  at infinite dilution is.

Choose the right option for your answer.

- (1) 201.28  $\text{S cm}^2 \text{mol}^{-1}$
- (2) 390.71  $\text{S cm}^2 \text{mol}^{-1}$
- (3) 698.28  $\text{S cm}^2 \text{mol}^{-1}$
- (4) 540.48  $\text{S cm}^2 \text{mol}^{-1}$

**Ans. (2)**

56. The right option for the statement "Tyndall effect is exhibited by", is :

- (1) NaCl solution
- (2) Glucose solution
- (3) Starch solution
- (4) Urea solution

**Ans. (3)**

57. The RBC deficiency is deficiency disease of:

- (1) Vitamin  $\text{B}_{12}$
- (2) Vitamin  $\text{B}_6$
- (3) Vitamin  $\text{B}_1$
- (4) Vitamin  $\text{B}_2$

**Ans. (1)**

58. Dihedral angle of least stable conformer of ethane is :

- (1)  $120^\circ$
- (2)  $180^\circ$
- (3)  $60^\circ$
- (4)  $0^\circ$

**Ans. (4)**

59. The incorrect statement among the following is :

- (1) Actinoid contraction is greater for element f element than Lanthanoid contraction.
- (2) Most of the trivalent Lanthanoid ions are colorless in the solid state.
- (3) Lanthanoids are good conductors of heat and electricity.
- (4) Actinoids are highly reactive metals, especially when finely divided.

**Ans. (2)**

60. The major product formed in dehydrohalogenation reaction of 2-Bromopentane is Pent-2-ene. This product formation is based on ?

- (1) Saytzeff's Rule
- (2) Hund's Rule
- (3) Hoffmann Rule
- (4) Huckel's Rule

**Ans. (1)**

### Final NEET(UG)-2021 Exam/12-09-2021


61. Which one among the following is the correct option for the relationship between  $C_p$  and  $C_v$  for one mole of ideal gas ?  
 (1)  $C_p + C_v = R$  (2)  $C_p - C_v = R$   
 (3)  $C_p = RC_v$  (4)  $C_v = RC_p$

Ans. (2)

62. Which one of the following polymers is prepared by addition polymerisation ?  
 (1) Yeflon  
 (2) Nylon-66  
 (3) Novolac  
 (4) Dacron

Ans. (1)

63. What is the IUPAC name of the organic compound formed in the following chemical reaction ?



- (1) 2-methyl propan-2-ol  
 (2) pentan-2-ol  
 (3) pentan-3-ol  
 (4) 2-methyl butan-2-ol

Ans. (4)

64. Match Ltst - I with Ltst - II.

Ltst-I	Ltst-II
(a) $PCl_5$	(i) Square pyramidal
(b) $SF_6$	(ii) Trigonal planar
(c) $BrF_5$	(iii) Octahedral
(d) $BF_3$	(iv) Trigonal bipyramidal

Choose the correct answer from the options given below.

- (1) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)  
 (2) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)  
 (3) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)  
 (4) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

Ans. (1)

65. Which one of the following methods can be used to obtain highly pure metal which is liquid at room temperature ?  
 (1) Electrolysis  
 (2) Chromatography  
 (3) Distillation  
 (4) Zone refining

Ans. (3)

66. The major product of the following chemical reaction is:



- (1)  $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}-\text{CH}_2-\text{CH}_2-\text{Br} \end{array}$   
 (2)  $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}-\text{CH}_2-\text{CH}_2-\text{O}-\text{COCH}_3 \end{array}$   
 (3)  $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}-\text{CH}-\text{CH}_3 \\ | \\ \text{Br} \end{array}$   
 (4)  $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CBr}-\text{CH}-\text{CH} \\ | \quad | \\ \text{CH}_3 \quad 2 \quad 3 \end{array}$

Ans. (1)

67. Yttrium, a radioactive isotope of hydrogen, emits which of the following particles ?

- (1) Beta ( $\beta^-$ )  
 (2) Alpha ( $\alpha$ )  
 (3) Gamma ( $\gamma$ )  
 (4) Neutron (n)

Ans. (1)

68. The correct sequence of bond enthalpy of 'C-X' bond is

- (1)  $CH_3-F < CH_3-Cl < CH_3-Br < CH_3-I$   
 (2)  $CH_3-F > CH_3-Cl > CH_3-Br > CH_3-I$   
 (3)  $CH_3-F < CH_3-Cl > CH_3-Br > CH_3-I$   
 (4)  $CH_3-Cl > CH_3-F > CH_3-Br > CH_3-I$

Ans. (2)

69. The correct option for the number of tetrahedral and octahedral voids in hexagonal primitive unit cell are:

- (1) 8, 4  
 (2) 6, 12  
 (3) 2, 1  
 (4) 12, 6


Ans. (4)

70. Which of the following reactions is the metal displacement reaction ? Choose the correct option.

- (1)  $2KClO_3 \xrightarrow{\Delta} 2KCl + 3O_2$   
 (2)  $Cr_2O_3 + 2Al \xrightarrow{\Delta} Al_2O_3 + 2Cr$   
 (3)  $Fe + 2HCl \rightarrow FeCl_2 + H_2 \uparrow$   
 (4)  $2Pb(NO_3)_2 \rightarrow 2PbO + 4NO_2 + O_2 \uparrow$

Ans. (2)

£1. Choose the correct option for graphical representation of Boyle's law, which shows a graph of pressure vs. volume of a gas at different temperatures:



Ans. (4)

£2. The  $\mu K_b$  of dimethylamine and  $\mu K_a$  of acetic acid are 3.27 and 4.77 respectively at Y (K). The correct option for the  $\mu H$  of dimethylammonium acetate solution is:

- (1) 8.50
- (2) 5.50
- (3) 7.75
- (4) 6.25

Ans. (3)

£3. Among the following alkaline earth metal halides, one which is covalent and soluble in organic solvents is:

- (1) Calcium chloride
- (2) Strontium chloride
- (3) Magnesium chloride
- (4) Beryllium chloride

Ans. (4)

£4. The maximum temperature that can be achieved in blast furnace is :

- (1) up to 1200 K
- (2) up to 2200 K
- (3) up to 1900 K
- (4) up to 5000 K

Ans. (2)

£5. Ethylene diamine tetraacetate (EDTA) ion is :

- (1) Hexadentate ligand with four "O" and two "N" donor atoms
- (2) Unidentate ligand
- (3) Bidentate ligand with two "N" donor atoms
- (4) Tridentate ligand with three "N" donor atoms

Ans. (1)

£6. The following solutions were prepared by dissolving 10 g of glucose ( $C_6H_{12}O_6$ ) in 250 ml of water ( $P_1$ ), 10 g of urea ( $CH_4N_2O$ ) in 250 ml of water ( $P_2$ ) and 10 g of sucrose ( $C_{12}H_{22}O_{11}$ ) in 250 ml of water ( $P_3$ ). The right option for the decreasing order of osmotic pressure of these solutions is :

- (1)  $P_2 > P_1 > P_3$
- (2)  $P_1 > P_2 > P_3$
- (3)  $P_2 > P_3 > P_1$
- (4)  $P_3 > P_1 > P_2$

Ans. (1)

££. Statement I :

Acid strength increases in the order given as  $HF \ll HCl \ll HBr \ll HI$ .

Statement II :

As the size of the elements F, Cl, Br, I increases down the group, the bond strength of HF, HCl, HBr and HI decreases and so the acid strength increases.

In the light of the above statements, choose the correct answer from the options given below.

- (1) Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is correct but Statement II is false.
- (4) Statement I is incorrect but Statement II is true.

Ans. (1)





### Final NEET(UG)-2021 Exam/12-09-2021

**£8.** The structures of beryllium chloride in solid state and vapour phase, are:

- (1) Chain and dimer, respectively
- (2) Linear in both
- (3) Dimer and Linear, respectively
- (4) Chain in both

**Ans. (1)**

**£9.** For a reaction  $A \rightarrow B$ , enthalpy of reaction is  $-4.2 \text{ KJ mol}^{-1}$  and enthalpy of activation is  $9.6 \text{ KJ mol}^{-1}$ . The correct potential energy profile for the reaction is shown in option.



**Ans. (2)**

**80.** Zr ( $Z=40$ ) and Hf ( $Z=72$ ) have similar atomic and ionic radii because of :

- (1) belong to same group
- (2) diagonal relationship
- (3) lanthanoid contraction
- (4) having similar chemical properties

**Ans. (3)**

**81.** A particular station of All India Radio, New Delhi, broadcasts on a frequency of  $1,368 \text{ KHz}$  (Kiloherz). The wavelength of the electromagnetic radiation emitted by the transmitter is :

[speed of light  $c = 3.0 \times 10^8 \text{ ms}^{-1}$ ]

- (1)  $219.3 \text{ m}$
- (2)  $219.2 \text{ m}$
- (3)  $2192 \text{ m}$
- (4)  $21.92 \text{ cm}$

**Ans. (1)**

**82.** An organic compound contains 78% (by wt.) carbon and remaining percentage of hydrogen. The empirical formula for the empirical formula of this compound is [Atomic wt. of C is 12, H is 1]

- (1)  $\text{CH}$
- (2)  $\text{CH}_2$
- (3)  $\text{CH}_3$
- (4)  $\text{CH}_4$





**Ans. (3)**

**83.** The compound which shows metamorphism is :

- (1)  $\text{C}_5\text{H}_{12}$
- (2)  $\text{C}_3\text{H}_8\text{O}$
- (3)  $\text{C}_3\text{H}_6\text{O}$
- (4)  $\text{C}_4\text{H}_{10}\text{O}$

**Ans. (4)**

**84.** Identify the compound that will react with Hinsberg's reagent to give a solid which dissolves in alkali :



**Ans. (3)**

**85.** The correct option for the number of body centered unit cells in all 14 types of Bravais lattice unit cells is :

- (1) 7
- (2) 5
- (3) 2
- (4) 3

**Ans. (4)**

SECTION-B

86. Match List-I with List-II

List-I		List-II	
(a)	[Fe(CN) <sub>6</sub> ] <sup>3-</sup>	(i)	5.92 BM
(b)	[Fe(H <sub>2</sub> O) <sub>6</sub> ] <sup>3+</sup>	(ii)	0 BM
(c)	[Fe(CN) <sub>6</sub> ] <sup>4-</sup>	(iii)	4.90 BM
(d)	[Fe(H <sub>2</sub> O) <sub>6</sub> ] <sup>2+</sup>	(iv)	1.73 BM

Choose the correct answer from the options given below

(1) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)

(3) (a)-(i), (b)-(iii), (c)-(iv), (d)-(ii)

(4) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)

Ans. (4)

88. Choose the correct option for the total pressure (in atm.) in a mixture of 4 g O<sub>2</sub> and 2 g H<sub>2</sub> confined in a total volume of one litre at 0°C is: [Given R = 0.082 L atm mol<sup>-1</sup>K<sup>-1</sup>, Y=273K]

(1) 2.518 (2) 2.602  
(3) 25.18 (4) 26.02

Ans. (3)

88. CH3CH2COO^-Na^+ \xrightarrow[Heat]{NaOH, +?} CH3CH3 + Na2CO3.

Consider the above reaction and identify the missing reagent/chemical.

(1) B<sub>2</sub>H<sub>6</sub> (2) Red Phosphorus  
(3) CaO (4) DIBAL-H

Ans. (3)

89. For irreversible expansion of an ideal gas under isothermal condition, the correct option is :  
(1) ΔU = 0, ΔS<sub>total</sub> = 0 (2) ΔU ≠ 0, ΔS<sub>total</sub> ≠ 0  
(3) ΔU = 0, ΔS<sub>total</sub> ≠ 0 (4) ΔU ≠ 0, ΔS<sub>total</sub> = 0

Ans. (3)

90. In which one of the following arrangements the given sequence is not strictly according to the properties indicated against it ?

(1) HF < HCl : Increasing acidic  
< HBr < HI strength  
(2) H<sub>2</sub>O < H<sub>2</sub>S : Increasing μK<sub>a</sub>  
< H<sub>2</sub>Se < H<sub>2</sub>Te values  
(3) NH<sub>3</sub> < PH<sub>3</sub> : Increasing  
< AsH<sub>3</sub> < SbH<sub>3</sub> acidic character  
(4) CO<sub>2</sub> < SiO<sub>2</sub> : Increasing  
< SnO<sub>2</sub> < PbO<sub>2</sub> oxidizing power

Ans. (2)

91. The molar conductivity of 0.007 M acetic acid is 20 S cm<sup>2</sup> mol<sup>-1</sup>. What is the dissociation constant of acetic acid? Choose the correct option.

$$\left[ \begin{array}{l} \Lambda^{\circ}_{H^+} = 350 \text{ S cm}^2 \text{ mol}^{-1} \\ \Lambda^{\circ}_{CH_3COO^-} = 50 \text{ S cm}^2 \text{ mol}^{-1} \end{array} \right]$$

(1) 1.75 × 10<sup>-4</sup> mol L<sup>-1</sup>  
(2) 2.50 × 10<sup>-4</sup> mol L<sup>-1</sup>  
(3) 1.75 × 10<sup>-5</sup> mol L<sup>-1</sup>  
(4) 2.50 × 10<sup>-5</sup> mol L<sup>-1</sup>

Ans. (3)


92. The slope of Arrhenius Plot of  $\ln k v/s \frac{1}{T}$  of first order reaction is -5 × 10<sup>3</sup> K. The value of E<sub>a</sub> of the reaction is. Choose the correct option for your answer.

[Given R = 8.314 J K<sup>-1</sup> mol<sup>-1</sup>]

(1) 41.5 KJ mol<sup>-1</sup> (2) 83.0 KJ mol<sup>-1</sup>  
(3) 166 KJ mol<sup>-1</sup> (4) -83 KJ mol<sup>-1</sup>

Ans. (1)

93. The product formed in the following chemical reaction is



Ans. (4)

