

## NG 24 (GROUP B)

### PART I — ENGINEERING MATHEMATICS

(Common to all Candidates)

(Answer ALL questions)

1. If  $A$  is a  $3 \times 3$  matrix and determinant of  $A$  is 6, then find the value of the determinant of the matrix  $(2A)^{-1}$ 
  - a.  $\frac{1}{12}$
  - b.  $\frac{1}{24}$
  - c.  $\frac{1}{36}$
  - d.  $\frac{1}{48}$
  
2. If  $3x + 2y + z = 0$ ,  $x + 4y + z = 0$ ,  $2x + y + 4z = 0$ , be a system of equations, then
  - a. it is inconsistent
  - b. it has only the trivial solution  $x = 0, y = 0, z = 0$
  - c. it can be reduced to a single equation and so a solution does not exist
  - d. the determinant of the matrix of coefficients is zero
  
3. Let  $M = \begin{pmatrix} 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{pmatrix}$ . The maximum number of linearly independent eigen vectors of  $M$  is
  - a. 0
  - b. 1
  - c. 2
  - d. 3
  
4. The shortest and longest distance from the point  $(1, 2, -1)$  to the sphere  $x^2 + y^2 + z^2 = 24$  is
  - a.  $(\sqrt{14}, \sqrt{46})$
  - b.  $(14, 46)$
  - c.  $(\sqrt{24}, \sqrt{56})$
  - d.  $(24, 56)$
  
5. The solution of the given ordinary differential equation  $x \frac{d^2y}{dx^2} + \frac{dy}{dx} = 0$  is
  - a.  $y = A \log x + B$
  - b.  $y = Ae^{\log x} + Bx + C$
  - c.  $y = Ae^x + B \log x + C$
  - d.  $y = Ae^x + Bx^2 + C$
  
6. The complete integral of the partial differential equation  $pz^2 \sin^2 x + qz^2 \cos^2 y = 1$  is
  - a.  $z = 3a \cot x + (1 - a) \tan y + b$
  - b.  $z^2 = 3a^2 \cot x + 3(1 + a) \tan y + b$
  - c.  $z^3 = -3a \cot x + 3(1 - a) \tan y + b$
  - d.  $z^4 = 2a^2 \cot x + (1 + a)(1 - a) \tan y + b$

7. The area between the parabolas  $y^2 = 4 - x$  and  $y^2 = x$  is given by
- $\frac{3\sqrt{2}}{16}$
  - $\frac{16\sqrt{3}}{5}$
  - $\frac{5\sqrt{3}}{16}$
  - $\frac{16\sqrt{2}}{3}$
8. The value of the integral  $\int_0^a \int_0^b \int_0^c e^{x+y+z} dz dy dx$  is
- $e^{a+b+c}$
  - $e^a + e^b + e^c$
  - $(e^a - 1)(e^b - 1)(e^c - 1)$
  - $e^{abc}$
9. If  $\nabla\phi = 2xyz^3 \vec{i} + x^2z^3 \vec{j} + 3x^2yz^2 \vec{k}$ , then  $\phi(x, y, z) =$
- $\phi = xyz^2 + c$
  - $\phi = x^3yz^2 + c$
  - $\phi = x^2yz^3 + c$
  - $\phi = x^3yz + c$
10. The only function from the following that is analytic is
- $F(z) = \operatorname{Re}(z)$
  - $F(z) = \operatorname{Im}(z)$
  - $F(z) = z$
  - $F(z) = \sin z$
11. The value of  $m$  so that  $2x - x^2 + my^2$  may be harmonic is
- 0
  - 1
  - 2
  - 3
12. The value of  $\int_C \frac{1}{z} dz$ , where  $C$  is the circle  $z = e^{i\theta}$ ,  $0 \leq \theta \leq \pi$  is,
- $\pi i$
  - $-\pi i$
  - $2\pi i$
  - 0
13. The Region of convergence of the signal  $x(n) = \delta(n - k)$ ,  $k > 0$  is
- $z = \infty$
  - $z = 0$
  - Entire  $z$ -plane, except at  $z = 0$
  - Entire  $z$ -plane, except at  $z = \infty$

14. The Laplace transform of a signal  $X(t)$  is  $\frac{4s+1}{s^2+6s+3}$ . The initial value  $X(0)$  is
- 0
  - 4
  - 1/6
  - 4/3
15. Given the inverse Fourier transform of  $f(s) = \begin{cases} a-|s|, & |s| \leq a \\ 0, & |s| > a \end{cases}$  is  $\frac{a^2}{2\pi} \left[ \frac{\sin \frac{ax}{2}}{\frac{ax}{2}} \right]^2$ . The value of  $\int_0^{\infty} \left[ \frac{\sin x}{2} \right]^2 dx$  is
- $\pi$
  - $\frac{2\pi}{3}$
  - $\frac{\pi}{2}$
  - $\frac{\pi}{4}$
16. If  $A = [a_{ij}]$  is the coefficient matrix for a system of algebraic equations, then a sufficient condition for convergence of Gauss-Seidel iteration method is
- $A$  is strictly diagonally dominant
  - $|a_{ii}| = 1$
  - $\det(A) \neq 0$
  - $\det(A) > 0$
17. Which of the following formula is used to fit a polynomial for interpolation with equally spaced data?
- Newton's divided difference interpolation formula
  - Lagrange's interpolation formula
  - Newton's forward interpolation formula
  - Least-square formula
18. For applying Simpson's  $\frac{1}{3}$  rule, the given interval must be divided into how many number of sub-intervals?
- odd
  - two
  - even
  - three
19. A discrete random variable  $X$  has the probability mass function given by  $p(x) = cx$ ,  $x = 1, 2, 3, 4, 5$ . The value of the constant 'c' is
- 1/5
  - 1/10
  - 1/15
  - 1/20
20. For a Binomial distribution with mean 4 and variance 2, the value of 'n' is
- 2
  - 4
  - 6
  - 8

**PART II — BASIC ENGINEERING AND SCIENCES**

(Common to all candidates)

(Answer ALL questions)

21. Speed of the processor chip is measured in
- Mbps
  - GHz
  - Bits per second
  - Bytes per second
22. A program that converts Source Code into machine code is called
- Assembler
  - Loader
  - Compiler
  - Converter
23. What is the full form of URL?
- Uniform Resource Locator
  - Unicode Random Locator
  - Unified Real Locator
  - Uniform Read Locator
24. Which of the following can adsorb larger volume of hydrogen gas?
- Finely divided platinum
  - Colloidal solution of palladium
  - Small pieces of palladium
  - A single metal surface of platinum
25. What are the factors that determine an effective collision?
- Collision frequency, threshold energy and proper orientation
  - Translational collision and energy of activation
  - Proper orientation and steric bulk of the molecule
  - Threshold energy and proper orientation
26. Which one of the following flows in the internal circuit of a galvanic cell?
- atoms
  - electrons
  - electricity
  - ions
27. Which one of the following is not a primary fuel?
- petroleum
  - natural gas
  - kerosene
  - coal
28. Which of the following molecules will not display an infrared spectrum?
- CO<sub>2</sub>
  - N<sub>2</sub>
  - Benzene
  - HCCH
29. Which one of the following behaves like an intrinsic semiconductor, at the absolute zero temperature?
- Superconductor
  - Insulator
  - n-type semiconductor
  - p-type semiconductor
30. The energy gap (eV) at 300K of the material GaAs is
- 0.36
  - 0.85
  - 1.20
  - 1.42

31. Which of the following ceramic materials will be used for spark plug insulator?
- $\text{SnO}_2$
  - $\alpha\text{-Al}_2\text{O}_3$
  - TiN
  - $\text{YBaCuO}_7$
32. In unconventional super-conductivity, the pairing interaction is
- non-phononic
  - phononic
  - photonic
  - non-excitonic
33. What is the magnetic susceptibility of an ideal super conductor?
- 1
  - 1
  - 0
  - infinite
34. The Rayleigh scattering loss, which varies as \_\_\_\_\_ in a silica fiber.
- $\lambda^0$
  - $\lambda^{-2}$
  - $\lambda^{-4}$
  - $\lambda^{-6}$
35. What is the near field length  $N$  that can be calculated from the relation (if  $D$  is the diameter of the transducer and  $\lambda$  is the wavelength of sound in the material)?
- $D^2 / 2\lambda$
  - $D^2 / 4\lambda$
  - $2D^2 / \lambda$
  - $4D^2 / \lambda$
36. Which one of the following represents open thermodynamic system?
- Manual ice cream freezer
  - Centrifugal pump
  - Pressure cooker
  - Bomb calorimeter
37. In a new temperature scale say  $^\circ\rho$ , the boiling and freezing points of water at one atmosphere are  $100^\circ\rho$  and  $300^\circ\rho$  respectively. Correlate this scale with the Centigrade scale. The reading of  $0^\circ\rho$  on the Centigrade scale is:
- $0^\circ\text{C}$
  - $50^\circ\text{C}$
  - $100^\circ\text{C}$
  - $150^\circ\text{C}$
38. Which of the cross-section of the beam subjected to bending moment is more economical?
- Rectangular cross-section
  - I - cross-section
  - Circular cross-section
  - Triangular cross-section
39. The velocity of a particle is given by  $V = 4t^3 - 5t^2$ . When does the acceleration of the particle becomes zero?
- 8.33 s
  - 0.833 s
  - 0.0833 s
  - 1 s
40. What will happen if the frequency of power supply in a pure capacitor is doubled?
- The current will also be doubled
  - The current will reduce to half
  - The current will remain the same
  - The current will increase to four-fold

PART III

10 - BIO-TECHNOLOGY

(Answer ALL questions)

41. In scaling up agitators from lab model to Industrial scale, which one of the following is preferred as scale-up criterion?
- Mixing time
  - Reynolds No.
  - Power number
  - Power / volume of fermenter
42. Which of the following cells are most shear sensitive?
- mammalian
  - plant
  - bacteria
  - fungi
43. Majority of fermentation medium are pseudoplastic. Therefore, heat transfer and mass transfer rates are poor away from the impeller because
- density decreases
  - viscosity decreases
  - density increases
  - viscosity increases
44. The term  $k_L a$  during operation of bioreactors refers to
- Liquid-liquid mass transfer coefficient
  - Distribution of gas bubble size as a function of mixing
  - Volumetric oxygen mass transfer coefficient
  - Dankwerts gas-liquid interfacial energy coefficient
45. Partition coefficient in two phase aqueous extraction is defined as concentration of solute in
- Extracte/raffinate
  - Extract/feed
  - Upper aqueous layer/ lower aqueous layer
  - Amount of solute extracted / amount of solute in feed
46. Michaelis Menten reaction is
- first order reaction
  - zero order reaction
  - changing order reaction
  - fractional order reaction
47. Arrhenius equation shows the variation of \_\_\_\_\_ with temperature
- reaction rate
  - rate constant
  - energy of activation
  - frequency factor
48. While  $DV\rho/\mu$  is the general expression for Reynolds number and for agitator it is
- $n^2 D^2 \rho / \mu$
  - $n^2 D \rho / \mu$
  - $n D^2 \rho / \mu$
  - $n D \rho / \mu$
49. Which parameter gives performance of a centrifuge?
- g. number
  - sigma factor
  - separation ratio
  - capacity factor
50. A batch reactor is characterized by
- constant residence time
  - variation in extent of reaction and properties of the reaction mixture with time
  - variation in reactor volume
  - very low conversion
51. RNA primer at the 5' ends of Okazaki fragments in prokaryotes are removed by
- Ribonuclease Z
  - S1 nuclease
  - P1 nuclease
  - DNA pol I

52. Phosphorylation of serine residue on the eIF2 bound to GDP results in
- Initiation of protein synthesis
  - Inhibition of protein synthesis
  - Inhibition of DNA synthesis
  - Initiation of RNA synthesis
53. Premature or incomplete protein synthesis happens due to
- Nonsense mutation
  - Mutation of promoter region
  - Missense mutation
  - Frameshift mutation
54. Which one of the following has the ability to inhibit transcription?
- Neomycin
  - Kanamycin
  - Rifampicin
  - Quinolones
55. A double stranded DNA contains 42% of G and C. The percentage of 'T' is
- 58
  - 23
  - 29
  - 21
56. Which enzyme is involved in the base excision repair of DNA?
- Purine glycosylase
  - P1 nuclease
  - Endonuclease II
  - DNA glycosylase
57. Mitochondrial DNA replication is carried out by
- DNA polymerase gamma
  - DNA polymerase I
  - Pfu DNA polymerase
  - DNA polymerase alpha
58. Which one of the following is not true about promoter?
- They are sequence of DNA
  - Binds to RNA polymerase II during transcription
  - Located between operator and coding region
  - Mutation of promoter region affects transcription rate
59. Telomerase functions as
- DNA dependent RNA polymerase
  - DNA dependent DNA polymerase
  - RNA dependent DNA polymerase
  - RNA dependent RNA polymerase
60. The sequence of the structural genes in the lac operon is in the order of
- lacZ-lacA-lacY
  - lacZ-lacY-lacA
  - lacA-lacY-lacZ
  - lacA-lacZ-lacY
61. Which separation technique uses ligand to purify its receptor protein?
- Ion exchange chromatography
  - Expanded Bed Adsorption chromatography
  - Affinity chromatography
  - Size-exclusion chromatography
62. Lipogenesis is enhanced by
- Insulin
  - Epinephrine
  - Glucagon
  - Thyroxine
63. The cell organelle primarily responsible for the source of reactive oxygen species is
- Nucleus
  - Endoplasmic reticulum
  - Golgi apparatus
  - Mitochondria

64. Which one of the following cells depends primarily on glucose for energy?
- Lymphocyte
  - Differentiated adipocytes
  - Matured RBC
  - Muscle cells
65. Which of the tests is used to differentiate that the oil is rich in saturated or unsaturated fatty acids?
- Iodine number
  - Acid value
  - Saponification value
  - Acrolein test
66. Which is not a selective medium but is a differential medium?
- Blood agar
  - Mannitol salt agar
  - MacConkey agar
  - Eosin methylene blue agar
67. The time taken to kill 90% of the organisms or spores in a sample under specified condition is
- Thermal death time (TDT)
  - Decimal reduction time (D value)
  - Generation time
  - Doubling time
68. Phenolics control microorganisms by
- Denaturing proteins
  - Oxidising cellular components
  - Preventing cell wall formation
  - Inhibiting DNA replication
69. Which of the following binds to the small ribosomal subunit (30S) and interfere with protein synthesis by causing misreading of the mRNA?
- Macrolides
  - Aminoglycosides
  - Lincosamides
  - Quinolones
70. Which is an example of a biopolymer?
- Scleroglucan
  - Aconitase
  - Lyase
  - Phenyl acetic acid
71. Which is true regarding a cosmid vector?
- Plaques are not produced
  - Use lac selection system
  - Can carry small DNA fragments
  - Uses lambda origin of replication
72. The most important use of BAC vector is for
- Stable transfection
  - Human genomic library construction
  - E. coli* protein expression
  - E. coli* genomic library construction
73. Creating mutant protein with novel characteristics and properties is called
- Cloning
  - Mutagenesis
  - Sequencing
  - Protein engineering
74. The mismatch repair system of *E. coli* is
- Prényl directed repair system
  - Cysteine directed system
  - Mutated system
  - Methyl directed system
75. Which is not true for karyotyping?
- used to determine chromosome number
  - used to determine chromosome size
  - used in DNA amplification
  - used to detect diseases
76. Pyrolysis mass spectroscopy is used to differentiate organisms to \_\_\_\_\_ level
- Phyla and kingdom
  - Genus and species
  - Kingdom and species
  - Kingdom and Genus

77. Which of the following methods can be used to detect single nucleotide change in DNA?
- ELISA
  - WESTERN Blotting
  - SDS-PAGE
  - PCR
78. Why is enhancer region included in many vectors based on alphaviruses?
- Expression of protein in N terminus
  - Expression of protein on P terminus
  - Expression as fusion protein
  - To decrease the expression
79. All these statements are true regarding RFLP and RAPD except
- RAPD is quicker when compared to RFLP
  - RFLP is more reliable than RAPD
  - Species specific primers are required for RAPD
  - Radioactive probes are not used in RAPD
80. The variation in the number of tandem repeats between two or more individuals is called
- Variable number of tandem repeats (VNTRs)
  - Restriction fragment length polymorphism (RFLP)
  - Simple sequence repeats (SSRs)
  - Amplified fragment length polymorphism (AFLP)
81. Which of the following transcription factor is said to be a master switch of immune system, that promotes the cytokine expression during inflammation?
- Nuclear factor kappa B
  - Transcription factor II
  - DNA transcriptase
  - RNA transcriptase
82. Which of the following is the opsonin?
- C5b
  - C1q
  - C3a
  - C3b
83. Which of the following is the suppressive cytokine?
- IL-1
  - IL-2
  - IL-10
  - IL-12
84. Which of the following is NOT a mechanism of action of cyclosporine leading to immunosuppression
- Inhibition of transcription of IL-2 gene
  - Inhibition of Calcineurin pathway
  - Inhibition of Cytochrome P450 3A4
  - Inhibition of dephosphorylation of NF-AT
85. Which of the following drug is used to prevent graft rejection?
- Azathioprine
  - Methotrexate
  - Rapamycin
  - Tacrolimus
86. BCG vaccine contain non virulent strain of
- Bacillus subtilis*
  - Bacillus Pumilus*
  - Mycobacterium leprae*
  - Mycobacterium bovis*
87. Which of the following methods is correct for producing vector vaccines?
- By inserting genes for antigens of a pathogen into a nonpathogenic viral vector
  - By inserting attenuated antigen to the pathogenic virus
  - By inserting whole antigen to the pathogenic virus
  - By inserting the antigenic component to host
88. Which of the following enzymes plays a vital role in the pathogenesis of HIV infection?
- RNA polymerase
  - RNA polymerase II
  - Tag polymerase
  - Reverse Transcriptase

89. When in skin allograft, second set of rejection occurs?
- 10-14 days
  - 5-7 days
  - After a month
  - After a week
90. What are passenger cells in transplantation?
- Donor leukocytes in graft tissue
  - Recipient leukocytes around graft tissue
  - Recipient dendritic cells
  - Recipient T cells
91. A data mining method especially for studying biological networks based on pairwise correlations between variables is:
- Hidden markov model
  - Convolutated network analysis
  - Artificial neural networks
  - Weighted correlation network analysis
92. The preference for the 20 standard amino acid residue types at each position in a given multiple sequence alignment refers to the:
- Pattern
  - Profile
  - Motif
  - Feature
93. What is the approximate time taken in dynamic programming for the alignment of 3 sequences of length  $n$ ?
- $5n^3$
  - $6n^3$
  - $7n^3$
  - $8n^3$
94. Which of the following models assumes constant rates of evolution with two substitution types?
- Jukes cantor model
  - Kimura Model
  - BLOSUM model
  - PAM model
95. The machine learning model associated with supervised learning is:
- Support vector machine
  - K-mean clustering
  - Principle Component analysis
  - Independent Component analysis
96. The concept of DNA computing was kick-started by the famous scientist
- Craig Venter
  - Margarette Dayhoff
  - Saul Needleman
  - Len Adleman
97. The phylogenetic tree following the principles of occam's razor is
- Maximum likelihood tree
  - Ultrametric tree
  - Additive tree
  - Maximum parsimony tree
98. In a microarray experiment, the typical  $p$  value for a reliable analysis of differentially gene expression is
- 0.05
  - 0.1
  - 1.0
  - 1.5
99. The term T2T-CHM13 refers to
- Recently sequenced Human genome
  - A new docking algorithm
  - A structure prediction method
  - A phylogenetic software
100. Similarity due to parallel evolution, convergent evolution or secondary loss is called
- Homoplasy
  - Homology
  - Heteroplasy
  - Heterogenecy